



(12) **EUROPEAN PATENT APPLICATION**

(43) Date of publication:  
**09.10.2002 Bulletin 2002/41**

(51) Int Cl.7: **G11B 27/034, G11B 27/32,  
G11B 19/12, G11B 23/36,  
G11B 20/12, G11B 20/10,  
G11B 27/36**

(21) Application number: **02077634.0**

(22) Date of filing: **22.06.1999**

(84) Designated Contracting States:  
**AT BE BG CH CY CZ DE DK EE ES FI FR GB GR  
IE IT LI LU MC NL PT SE SK TR**  
Designated Extension States:  
**AL LT LV MK RO SI**

- **Oh, Young-nam**  
**Bundang-gu, Sungnam-city, Kyungki-do (KR)**
- **Chung, Tae-yun**  
**Gwachun-city, Kyungki-do (KR)**
- **Kang, Jung-suk**  
**Songpa-gu, Seoul (KR)**
- **Park, Pan-gie**  
**Kwonsun-gu, Suwon-city, Kyungki-do (KR)**

(30) Priority: **22.06.1998 KR 9823487**  
**29.07.1998 KR 9830753**

(62) Document number(s) of the earlier application(s) in  
accordance with Art. 76 EPC:  
**99304887.5 / 0 967 609**

(74) Representative: **Chugg, David John et al**  
**Appleyard Lees,**  
**15 Clare Road**  
**Halifax, West Yorkshire HX1 2HY (GB)**

(71) Applicant: **SAMSUNG ELECTRONICS CO., LTD.**  
**Suwon-City, Kyungki-do (KR)**

**Remarks:**

This application was filed on 02 - 07 - 2002 as a  
divisional application to the application mentioned  
under INID code 62.

(72) Inventors:  
• **Moon, Seong-jin**  
**Youngdeungpo-gu, Seoul (KR)**

(54) **Method and apparatus for recording data, method and apparatus for reproducing a recording  
medium, recording medium, to support manufacturer specific information**

(57) A recording medium and a recording apparatus  
for storing manufacturer information for supporting spe-  
cific functions for each manufacturer and a method  
therefor are provided. A reproducing apparatus for re-  
producing manufacturer information for supporting spe-  
cific functions and a method therefor is also provided. If  
a recording apparatus modifies the contents of the re-

coding medium, then it should record its manufacturer's  
identification code. A recording apparatus/ reproducing  
apparatus should check the identification code on the  
recording medium before using its own manufacture in-  
formation item for some specific function. Also, it is pos-  
sible to reduce the time required to determine whether  
the manufacturer information items are effective.

**FIG. 5**

MKI_Ns	NUMBER OF MANUFACTURER INFORMATION
MK_CD	MANUFACTURER'S CODE WHICH MODIFIED AV CONTENTS LASTLY
MD_CD	PRODUCT'S CODE WHICH MODIFIED AV CONTENT LASTLY
OP_CD	OPERATION CODE

## Description

[0001] The present invention relates to the fields of optical recording and reproduction (recording/reproduction) of video and/or audio data, and more particularly, to a recording medium and a recorder for storing identification information of the manufacturer of the recorder which modifies the contents of the recording medium, and a recorder and/or a player which have the manufacturer specific information and a method therefor.

[0002] Figure 1 shows a one dimensional structure of a general recording medium, a volume space which is the entire recording medium is comprised of a volume and file structure area and areas in which real data is recorded (used blocks #1, #2, and #3). Real data can be recorded in a physically scattered state by editing in predetermined unit such as a program or a title. General information on the disc and information on the structures of a file and a directory, as shown in Figure 2, are recorded in the volume and file structure area.

[0003] Figure 2 shows files existing on a file system used for an apparatus for recording and reproducing audio and/or video (A/V) data on a rewritable recording medium. A bitstream file is a file on which real A/V data is recorded. An information file is a file having information on the bitstream file. There may be also a resource file.

[0004] Figure 3 shows the contents of the information file shown in Figure 2. The contents can be classified into formatted information on the bitstream having a common format among manufacturers and manufacturer (specific) information which has an individual format which is not compatible between manufacturers. The formatted information which includes information for having a common function regardless of the manufacturer is necessary to maintain compatibility. For example, the formatted information has information on the starting position of a specific title in the bit-stream file and information on the position corresponding to a specific time interval. The recorder and/or player obtains information on which position in the bit-stream file is to be recorded and which position is to be reproduced through the formatted information and records/reproduces the bitstream file on the basis of the obtained information.

[0005] The manufacturer information that is used by each manufacturer to support specific functions of the respective manufacturer does not need to be compatible. For example, a function of recording information on the finally reproduced position in the bitstream file as the manufacturer information item and automatically reproducing from a position next to the finally reproduced position when the recording medium is reproduced later can be an example of the specific function using manufacturer information. The specific function is supported only in the recording medium recorder/player which can support the manufacturer information.

[0006] In detail, the contents of the manufacturer information are comprised of a manufacturer information

header, for example, having information on the number of items (n) of the manufacturer information, the same numbers of manufacturer information search pointers having information on the positions of the respective item of the manufacturer information (manufacturer information search pointer #1, ..., manufacturer information search pointer #n), and the respective manufacturer information items (manufacturer information item #1, .. manufacturer information item #n). A recorder/player of each manufacturer is expected to have at most one manufacturer information item.

[0007] The contents of the manufacturer information item can be understood and utilized only in the recorder/player of the specific manufacturer which generated the manufacturer information items and are not compatible between the recorders/players of other manufacturers.

[0008] As mentioned above, since the information for the specific function of the individual manufacturer is not compatible, if additional recording/deleting processes are performed by the recorder/editor manufactured by a manufacturer B on a recording medium having the manufacturer information generated by a manufacturer A, the manufacturer information of the manufacturer A may not be effective any longer. Since the manufacturer information is unique to the manufacturer A, only the manufacturer A can analyze and modify the information. Thus, the manufacturer B cannot modify or manage information of manufacturer A's information. When a recording medium of which the contents are modified returns to the recorder/player of the manufacturer A for more recording or reproducing, a mis-operation can occur since the information item in which the information for the specific function set by the manufacturer A may not be effective any longer. Therefore, a check should always be made as to whether the manufacturer information is effective before using the manufacturer information made by the manufacturer A when a recording medium is newly loaded into a recorder/player of the manufacturer A. Verification processes are complicated and it can take a long time to perform the processes when there is a large amount of recorded A/V data.

[0009] It is a first aim of embodiments of the present invention to provide a recording medium for storing manufacturer information for a specific function of recorders/players of different manufacturers.

[0010] It is a second aim of embodiments of the present invention to provide a recording medium for storing the identification information of the manufacturer of which a recorder/editor finally performs recording/deleting on the recording medium.

[0011] It is a third aim of embodiments of the present invention to provide a recorder/editor and method for storing the manufacturer information for the specific function of the recorder/editor of each different manufacturer on the recording medium.

[0012] It is a fourth aim of embodiments of the present invention to provide a recorder/editor and method for storing the identification information of the manufacturer

of which the recorder/editor performs recording/deleting on the recording medium.

[0013] It is a fifth aim of embodiments of the present invention to provide a recorder/a player and method for using the manufacturer information for the specific function of the recorders/players of each different manufacturer on the recording medium.

[0014] It is a sixth aim of embodiments of the present invention to provide a recorder/player and method for checking whether the identification information of the manufacturer of which a recorder/editor finally performs recording/deleting on the recording medium is the same as the identification information of the manufacturer of the recorder/player to determine whether the manufacturer information is effective or not. That is, if the two identification information are the same, then the manufacturer information item is effective. If not, the manufacturer information item may be not effective, thus requiring complete verification.

[0015] A first aspect of the invention provides a method of recording and/or editing content, including audio, video, and/or information data, on a rewritable recording medium, comprising: recording an identification code of a manufacturer of a recording apparatus that last modified the content of the recording medium by performing recording/editing on the recording medium.

[0016] The method may, further comprise: recording a product identification code of the recording apparatus of the manufacturer that last modified the content of the recording medium by performing recording/editing on the recording medium.

[0017] Another aspect of the invention provides a method of recording/reproducing content, including audio, video, and/or information data, on a rewritable recording medium with a recording/reproducing apparatus using manufacturer information recorded on the recording medium, comprising: verifying a coincidence of an identification code of a manufacturer of a device which last modified the content of the recording medium and the manufacturer identification code of the recording/reproducing apparatus to determine whether manufacturer specific information of the recording/reproducing apparatus is effective.

[0018] The method may further comprise: verifying the coincidence of an identification code of a product that last modified the content of the recording medium and a product identification code of the recording/reproducing apparatus to determine whether manufacturer specific information of the recording/reproducing apparatus is effective.

[0019] A third aspect of the invention provides a recording method of recording content on a rewritable recording medium, comprising: modifying the content on the recording medium; and recording a manufacturer identification code of a recording apparatus indicating the manufacturer of the recording apparatus which last modified the content of the recording medium.

[0020] The recording method may further comprise:

recording a product information code indicating a product model of the recording apparatus that last modified the content of the recording medium on the recording medium.

[0021] The recording method may further comprise: recording an operation code indicating information on an operation performed by the recording apparatus other than reproduction on the content on the recording medium.

[0022] Preferably, the operation code information is compatible for a plurality of different manufacturers.

[0023] The recording method further comprises: recording a manufacturer information item specific to the manufacturer of the recording apparatus, and a manufacturer code to indicate the manufacturer of the manufacturer information item.

[0024] The recording method, may further comprise: recording a manufacturer information item specific to the manufacturer, a manufacturer code to indicate the manufacturer of the recording apparatus of the manufacturer information item, and a product code to indicate a product model of the recording apparatus of the manufacturer information item.

[0025] The recording method may further comprise: recording time information indicating a time when the manufacturer information item is recorded on the recording medium.

[0026] The recording method may further comprise: recording the manufacturer codes and the product codes at a beginning part of the manufacturer information item.

[0027] The recording method may further comprise: recording a search pointer indicating a starting address of the manufacturer information item.

[0028] The recording method may further comprise: updating a number of total manufacturer information items recorded on the recording medium.

[0029] The recording method may further comprise: determining whether the number exceeds a predetermined limit, and if so, deleting an oldest manufacturer information item stored on the recording medium.

[0030] The recording method may further comprise: recording a last address of manufacturer information which includes the manufacturer identification code and the product information code.

[0031] The recording method may further comprise: recording a last address of manufacturer information which includes the manufacturer identification code, the product code, and the operation code.

[0032] According to a fourth aspect, there is provided a method of modifying content on a recording medium, comprising: recording on the recording medium a manufacturer identification code of a recording and reproducing apparatus indicating a manufacturer of the recording and reproducing apparatus that last modified the content of the recording medium; and reading the manufacturer identification information, determining whether the content is effective based upon whether the

read manufacturer identification information matches that of the recording and reproducing apparatus, and reading the content if the content is effective.

[0033] The method may further comprise: reading the content of the recording medium to determine whether the content is effective if the determination is that the read manufacturer identification information does not match that of the recording and reproducing apparatus, and reproducing the read content if the read content is determined to be effective.

[0034] The method may further comprise: updating only manufacturer information item specific to the manufacturer of the recording and reproducing apparatus, and not updating other manufacturer information items already recorded on the recording medium.

[0035] According to another aspect of the invention, there is provided a recording apparatus for recording and/or editing audio, video, and/or information data on a rewritable recording medium, the apparatus comprising: a recording controller for producing A/V contents, formatted information for the A/V contents and manufacturer information to support manufacturer specific functions, wherein the manufacturer information comprises a manufacturer identification code designating the manufacturer of the recording apparatus that last modified the content of the recording medium.

[0036] Preferably, the manufacturer information further comprises the identification code of the product which last modified the content of the recording medium.

[0037] Preferably, the manufacturer information has a maximum number of manufacturer information items and if the number of manufacturer information items exceeds the maximum number, then the recording controller deletes the oldest manufacturer information item.

[0038] According to another aspect of the invention, there is provided a recording apparatus which records A/V contents on a recording medium, wherein the recording apparatus is arranged to record a manufacturer identification code on the recording medium designating the manufacturer of the recording apparatus when the recording apparatus modifies the A/V contents.

[0039] According to another aspect of the invention there is provided a reproducing apparatus for reproducing audio, video, and/or information data on a rewritable recording medium, comprising: a reproducing controller for reproducing A/V contents, formatted information for the A/V contents and manufacturer information to support manufacturer specific functions, wherein the manufacturer information comprises an identification code corresponding to the manufacturer of the recording apparatus that last modified the content of the recording medium.

[0040] Preferably, the manufacturer information further comprises the product identification code of the recording apparatus which last modified the content of the recording medium.

[0041] According to another aspect of the invention, there is provided a reproducing apparatus which repro-

duces A/V contents and information on a recording medium, wherein the reproducing apparatus checks a manufacturer identification code recorded on the recording medium, said manufacturer identification code being arranged to designate the particular manufacturer of a product which was last used to modify the A/V contents on the recording medium.

[0042] According to another aspect of the invention, there is provided a method for recording and/or editing audio, video, and/or information data on a rewritable recording medium, comprising the step of: recording the identification code of the manufacturer of a recording apparatus which last modified the contents of the recording medium by performing recording/editing on the recording medium.

[0043] The method may further comprise the step of: recording a product identification code corresponding to a recording apparatus product of a manufacturer, which last modified the contents of the recording medium by performing recording/ editing on the recording medium.

[0044] According to another aspect of the invention, there is provided a method in a recording apparatus/a reproducing apparatus for recording/reproducing audio, video, and/or information data on a rewritable recording medium using manufacturer information recorded on the recording medium, the method comprising the step of: checking whether there is coincidence between a recorded manufacturer identification code designating the manufacturer of equipment which was last used to modify the contents of the recording medium and its own manufacturer identification code to determine whether manufacturer specific information recorded on the recording medium is effective.

[0045] The method may further comprise the step of: verifying the coincidence of the identification code of the product which last modified the contents of the recording medium and its own product identification code to determine whether its manufacturer specific information is effective.

[0046] Another aspect of the invention provides a rewritable recording medium on which audio/video (A/V) contents are recordable, the medium including formatted information areas for the A/V contents and for manufacturer information to support manufacturer specific functions, wherein the manufacturer information area comprises an area for storing an identification code of the manufacturer of the recording apparatus that last modified the content of the recording medium.

[0047] Preferably, the manufacturer information area further comprises an area for storing an identification code of the product which last modified the content of the recording medium.

[0048] Another aspect provides a rewritable recording medium, on which A/V contents are stored, wherein the identification code of the manufacturer of the recording apparatus that has last modified the A/V content of the recording medium is stored.

[0049] For a better understanding of the invention,

and to show how embodiments of the same may be carried into effect, reference will now be made, by way of example, to the accompanying diagrammatic drawings in which:

Figure 1 shows a one-dimensional structure of a general recording medium;

Figure 2 shows the file structure shown in Figure 1;

Figure 3 shows the contents of the information file shown in Figure 2;

Figure 4 is a block diagram of an optical recording and reproducing apparatus to which the present invention is applied;

Figure 5 is a table of an example showing detailed contents of a manufacturer information header for supporting a manufacturer specific function according to an embodiment of the present invention;

Figure 6 is a table of another example showing detailed contents of a manufacturer information header according to an embodiment of the present invention;

Figure 7 is a table showing the contents of a manufacturer information search pointer according to an embodiment of the present invention; and

Figure 8 is a table showing the contents of a manufacturer information item according to an embodiment of the present invention.

**[0050]** Hereinafter, a preferred embodiment of a recording medium and a recorder/ editor for storing manufacturer information for supporting specific functions of the manufacturer and a recorder/player for using manufacturer information for supporting specific functions of the manufacturer according to the present invention and preferred embodiments of a method therefor will be described.

**[0051]** Figure 4 is a block diagram of an optical recording and reproducing apparatus to which the present invention is applied. The function of an apparatus for recording A/V data on and reproducing A/V data from a recordable and rewritable recording medium is divided into recording and reproducing.

**[0052]** During recording, an A/V codec 110 compression-codes an A/V signal input by a predetermined compression coding scheme. A digital signal processor 120 receives A/V data supplied from the A/V codec 110, adds parity data for an error correction code (ECC) process, and performs modulation by a predetermined modulation scheme. A radio frequency amplifier (RF AMP) 130 converts data supplied from the DSP 120 into an RF signal. A pick-up unit 140 drives a recording medium,

records data corresponding to the RF signal from the RF AMP 130 on a recording medium, and includes an actuator for performing focusing and tracking. A servo 150 receives information required for controlling the servo from the RF AMP 130 and a system controller 160 and performs a stable servo operation. The system controller 160 controls the entire system, controls the A/V data to be recorded on the recording medium, and records information including information on the size and the position of the compressed data as well as manufacturer information on the recorder/editor performing the specific function, the recording/editing. Also, the system controller 160 determines whether the manufacturer information recorded on the recording medium is effective using the identification information on the recorder/editor performing the recording/editing functions by finally accessing the recording medium, and controls recording/editing operations using the determined manufacturer information.

**[0053]** During reproduction, the pick-up unit 140 provides an optical signal picked up from the recording medium in which data is stored. The RF AMP 130 converts the optical signal into an electrical signal and extracts the servo signal for performing the servo and the modulated data. The DSP 120 demodulates the modulated data supplied from the RF AMP 130 corresponding to the modulation scheme used upon modulation; corrects errors by performing ECC, and removes the parity data. The servo 150 receives information required for controlling the servo from the RF AMP 130 and the system controller 160 and performs a stable servo operation. The A/V codec 110 decodes the compressed A/V data supplied from the DSP 120 and outputs an A/V signal. The system controller 160 controls the entire system to reproduce data using the information recorded on the recording medium, performing a user interface, i.e., processing the key input of the user. Also, the system controller 160 determines whether the manufacturer information recorded on the recording medium is effective using the identification information on the recorder/editor performing the recording/editing functions by finally accessing the recording medium, and controls reproducing operations using the determined manufacturer information.

**[0054]** Figure 5 is an example of a table showing detailed contents included in a manufacturer information header for a manufacturer specific function according to embodiments of the present invention. The table can be comprised of (MKI\_Ns) which is information on the number of manufacturer information items, a manufacturer identification code (MK\_CD) showing the manufacturer of the recorder/the editor which finally modified the contents of the recording medium. Moreover the table can include a product code (MD\_CD) showing the product model of the recorder/editor which finally modified the recording medium, and an operation code (OP\_CD) expressed by a predetermined code showing information on an operation performed by the recorder/

editor, for example, an operation of modifying A/V bit-stream data on the recording medium by recording, editing, erasing, and a specific function other than simple reproduction.

**[0055]** The manufacturer identification code is for classifying different manufacturers, in which the respective manufacturers are expected to have unique values. Simple text data of the manufacturer's name can be used because it is very difficult to imagine that different manufacturers have the same name.

**[0056]** The operation code has compatibility since it must be understood by different manufacturers. The information on the recorder/editor performing the recording/editing by finally accessing the recording medium and the information on the performed operation are provided by recording such information on the manufacturer information header in each recorder/editor performing the recording/editing by accessing the recording medium. When only simple reproduction is performed, manufacturer identification information of the reproducing apparatus is not recorded on the manufacturer information header because there is no change in the contents of the recording medium.

**[0057]** Examples of using the manufacturer information using the above data structure are as follows. When the manufacturer A generates manufacturer information item and records information on the recording medium and the manufacturer B edits the recording medium in the recorder/editor, the recorder/editor of the manufacturer B records the identification code of the manufacturer B, the product code of the recorder/editor and the operation code showing information including that an editing operation has been performed on the manufacturer information header as shown in Figure 5, before ejecting the recording medium.

**[0058]** When the data recorded on the recording medium is overwritten, edited, and reproduced using the manufacturer information item by the recorder, editor, and player of the manufacturer A, the identification information on the manufacturer which finally used the recording medium, product information of the recorder/editor, and information on the operation performed in the manufacturer information header, it is determined whether the manufacturer information items to be used during recording, editing, and reproducing are effective.

**[0059]** If the manufacturer identification code recorded in the recording medium which identify the manufacturer that finally modified the recording medium is consistent with concerned recorder/editor/player's manufacturer identification code, it is determined that the concerned manufacturer information item is effective. If the manufacturer identification code recorded in the recording medium is not consistent with the concerned manufacturer identification code, it must be determined whether the manufacturer information items to be used are effective by analyzing the entire contents of the recording medium. When the manufacturer information items are effective, they can be used.

**[0060]** Also, when the recorder/editor which finally modified the recording medium are the current recorder/editor and the editing operation is finally performed, it is easily judged that the manufacturer information item for the manufacturer is effective since it is possible to update the manufacturer information item according to the recording/editing operation by analyzing the contents of the manufacturer information item corresponding to the modified contents. Accordingly, it is possible to reduce the time required to determine whether the manufacturer information items are effective. When the manufacturer information items are effective, it is possible to perform the recording, the editing, and/or reproduction using the manufacturer information items.

**[0061]** Figure 6 is another example of a manufacturer information header according to the present invention. In Figure 6, MNFI\_Ns shows the number of manufacturer information items, MNFIT\_EA shows the last address of a manufacturer information, LAST\_MN shows an identification code of a manufacturer of which recorder/editor modified A/V contents last. LAST\_PROD shows a code of a product in which the A/V contents are finally modified. MN\_CD shows the manufacturer code corresponding to the number of manufacturer information items, PROD\_CD shows the product codes of the respective manufacturer information items. FILE\_NAME shows the file name of an additional file for individual information, and REC\_TM shows the time in which individual information was recorded. The MN\_CD and/or PROD\_CD and/or FILE\_NAME and/or REC\_TM can be recorded in the beginning part of the respective manufacturer information items.

**[0062]** To restrict the size of manufacturer information, there is a maximum number of MNFI\_Ns (for example, up to 5). When the number of items of manufacturer information items exceed the maximum number, the oldest records can be deleted. If the manufacturer information item has an additional file when the manufacturer information item is deleted, this file is also deleted. When a recorder/editor modifies the recording medium content and it has its own manufacturer information item, only the concerned manufacturer information is updated and other manufacturer information item should remain unchanged. When a recorder/editor modifies the recording medium content but it does not have its own manufacturer information item, even in this case, the identification code of the manufacturer which modifies the recording medium should be recorded.

**[0063]** MNFIT\_EA is the last address of a manufacturer information, for example, having a relative block number (RBN) from the first byte position of the manufacturer information header. LAST\_MN denotes a manufacturer identification code in which the A/V contents are finally modified. It is mandatory to have this recorded when the A/V contents are modified by the recorder/editor even if the recorder/editor does not have the manufacturer information item therefor. LAST\_PROD made by the manufacturer denotes a product code in which

the A/V contents are finally modified. It must be recorded when the recorder/editor modifies the A/V contents even if the recorder/editor does not have the manufacturer information item therefor. Since the manufacturer identification codes must be classified according to the respective manufacturers, they preferably have unique values according to the respective manufacturers. Also, since a manufacturer may have various products, it is recommended that the manufacturer manage the product codes.

**[0064]** Namely, a set in which the A/V contents are modified in order to make the information in relation to real A/V contents identical to A/V contents must record the manufacturer identification information in the manufacturer identification code field (LAST\_MN) of the manufacturer information header even if there is no manufacturer information item of its own. Also, when the recording medium is inserted into a set, it must be checked whether the real A/V contents is identical to the manufacturer's information item which is specific to the manufacturer in relation to the A/V contents of the recording medium. The first and easiest way is to check the identification code of the manufacturer which modified the recording medium last. When the A/V contents are modified by other manufacturer's equipment, a concerned set must modify or update the information in relation to A/V contents.

**[0065]** MN\_CD and PROD\_CD are manufacturer codes and the product codes, as many as stored manufacturer information items, to indicate that each manufacturer information item belongs to which manufacturer and product. When the information for the manufacturer products exists in an additional file, FILE\_NAME is the name of the file. If there is no file, the FILE\_NAME is filled with a special value. REC\_TM denotes the time when the information is recorded. MN\_CD, REC\_TM, PROD\_CD, FILE\_NAME can be recorded in the beginning part of the respective manufacturer information items.

**[0066]** Figure 7 includes MNFI\_SA which is a table showing the contents of a manufacturer information search pointer and denotes the starting address of the manufacturer information item. The MNFI\_SA is the starting address of the manufacturer information item, for example, having RBN from the first byte of the manufacturer information header.

**[0067]** Figure 8 is a table showing the contents of the manufacturer information items which has bytes of variable length. The maximum size of the information is, for example, 10 Kilobytes (KB). When the size of the information exceeds 10 KB, the additional information file of the manufacturer can be used.

**[0068]** As mentioned above, according to embodiments of the present invention, a recording medium is provided, which contains A/V data and formatted information to use the A/V data for recording and reproducing, and manufacturer information to support manufacturer specific function which cannot be implemented us-

ing the formatted information. Moreover, a manufacturer information is provided to support multiple manufacturer information items. Such information also contains the identification code of the manufacturer which last modified the contents of the recording medium. This information can be used to check the effectiveness of its own manufacturer information item when the recording medium is recorded, edited, reproduced by multiple equipment of different manufacturers since the manufacturer information item which is specific to the manufacturer can not be managed by other manufacturer's equipment. Accordingly, it is possible to reduce the time taken to determine whether the manufacturer information items are effective.

**[0069]** The reader's attention is directed to all papers and documents which are filed concurrently with or previous to this specification in connection with this application and which are open to public inspection with this specification, and the contents of all such papers and documents are incorporated herein by reference.

**[0070]** All of the features disclosed in this specification (including any accompanying claims, abstract and drawings), and/or all of the steps of any method or process so disclosed, may be combined in any combination, except combinations where at least some of such features and/or steps are mutually exclusive.

**[0071]** Each feature disclosed in this specification (including any accompanying claims, abstract and drawings), may be replaced by alternative features serving the same, equivalent or similar purpose, unless expressly stated otherwise. Thus, unless expressly stated otherwise, each feature disclosed is one example only of a generic series of equivalent or similar features.

**[0072]** The invention is not restricted to the details of the foregoing embodiment(s). The invention extend to any novel one, or any novel combination, of the features disclosed in this specification (including any accompanying claims, abstract and drawings), or to any novel one, or any novel combination, of the steps of any method or process so disclosed.

## Claims

1. A method of recording and/or editing content, including audio, video, and/or information data, on a rewritable recording medium, comprising:

recording an identification code of a manufacturer of a recording apparatus that last modified the content of the recording medium by performing recording/editing on the recording medium.

2. The method of claim 1, further comprising:

recording a product identification code of the recording apparatus of the manufacturer that

last modified the content of the recording medium by performing recording/editing on the recording medium.

3. A method of recording/reproducing content, including audio, video, and/or information data, on a rewritable recording medium with a recording/reproducing apparatus using manufacturer information recorded on the recording medium, comprising:

verifying a coincidence of an identification code of a manufacturer of a device which last modified the content of the recording medium and the manufacturer identification code of the recording/reproducing apparatus to determine whether manufacturer specific information of the recording/reproducing apparatus is effective.

4. The method of claim 3, further comprising:

verifying the coincidence of an identification code of a product that last modified the content of the recording medium and a product identification code of the recording/reproducing apparatus to determine whether manufacturer specific information of the recording/reproducing apparatus is effective.

5. A recording method of recording content on a rewritable recording medium, comprising:

modifying the content on the recording medium; and

recording a manufacturer identification code of a recording apparatus indicating the manufacturer of the recording apparatus which last modified the content of the recording medium.

6. The recording method of claim 5, further comprising:

recording a product information code indicating a product model of the recording apparatus that last modified the content of the recording medium on the recording medium.

7. The recording method of claim 6, further comprising:

recording an operation code indicating information on an operation performed by the recording apparatus other than reproduction on the content on the recording medium.

8. The recording method of claim 7, wherein the operation code information is compatible for a plurality

of different manufacturers.

9. The recording method of claim 5, further comprising:

recording a manufacturer information item specific to the manufacturer of the recording apparatus, and a manufacturer code to indicate the manufacturer of the manufacturer information item.

10. The recording method of claim 6, further comprising:

recording a manufacturer information item specific to the manufacturer, a manufacturer code to indicate the manufacturer of the recording apparatus of the manufacturer information item, and a product code to indicate a product model of the recording apparatus of the manufacturer information item.

11. The recording method of claim 10, further comprising:

recording time information indicating a time when the manufacturer information item is recorded on the recording medium.

12. The recording method of claim 10, further comprising:

recording the manufacturer codes and the product codes at a beginning part of the manufacturer information item.

13. The recording method of claim 9, further comprising:

recording a search pointer indicating a starting address of the manufacturer information item.

14. The recording method of claim 9, further comprising:

updating a number of total manufacturer information items recorded on the recording medium.

15. The recording method of claim 14, further comprising:

determining whether the number exceeds a predetermined limit, and if so, deleting an oldest manufacturer information item stored on the recording medium.

16. The recording method of claim 6, further comprising:



ing:

recording a last address of manufacturer information which includes the manufacturer identification code and the product information code. 5

17. The recording method of claim 7, further comprising:

recording a last address of manufacturer information which includes the manufacturer identification code, the product code, and the operation code. 10

18. A method of modifying content on a recording medium, comprising: 15

recording on the recording medium a manufacturer identification code of a recording and reproducing apparatus indicating a manufacturer of the recording and reproducing apparatus that last modified the content of the recording medium; and 20

reading the manufacturer identification information, determining whether the content is effective based upon whether the read manufacturer identification information matches that of the recording and reproducing apparatus, and reading the content if the content is effective. 25 30

19. The method of claim 18, further comprising:


reading the content of the recording medium to determine whether the content is effective if the determination is that the read manufacturer identification information does not match that of the recording and reproducing apparatus, and reproducing the read content if the read content is determined to be effective. 35 40

20. The method of claim 18, further comprising:

updating only manufacturer information item specific to the manufacturer of the recording and reproducing apparatus, and not updating other manufacturer information items already recorded on the recording medium. 45 50

55


**FIG. 1**



**FIG. 2**


EPO - DG 1


02.07.2002



(102)

**FIG. 3**



**FIG. 4****FIG. 5**

MKI_Ns	NUMBER OF MANUFACTURER INFORMATION
MK_CD	MANUFACTURER'S CODE WHICH MODIFIED AV CONTENTS LASTLY
MD_CD	PRODUCT'S CODE WHICH MODIFIED AV CONTENT LASTLY
OP_CD	OPERATION CODE

FIG. 6

	CONTENTS	NUMBER OF BYTES
MNFI_Ns	NUMBER OF MANUFACTURER'S INFORMATION	1 BYTE
MNFIT_EA	END ADDRESS OF MNFI	4 BYTES
LAST_MN	MANUTACTURER'S CODE WHICH MODIFIED AV CONTENTS LASTLY	32 BYTES
LAST_PROD	PRODUCT'S CODE WHICH MODIFIED AV CONTENT LASTLY	32 BYTES
MN_CD	MANUFACTURER'S CODE	2xMNFI_Ns BYTES
PROD_CD	PRODUCT'S CODE	2xMNFI_Ns BYTES
FILE_NAME	EXCLUSIVE FILE FOR INDIVIDUAL INFORMATION	12xMNFI_Ns BYTES
REC_TM	RECORDED TIME	8x MNFI_Ns BYTES

FIG. 7

	CONTENTS	NUMBER OF BYTES
MNFI_SA	START ADDRESS OF MNF	2 BYTES

FIG. 8

	CONTENTS	NUMBER OF BYTES
MNFI	MANUFACTURER'S INFORMATION	VARIABLE LENGTH BYTES